

## ***DRUG FACTS***

### ***Active ingredient(s)***

### ***Purpose***

### ***Use(s)***

for the temporary relief of minor aches and pains due to: Headache, Muscular aches, Backache, Minor pain of arthritis, The common cold, Toothache, Premenstrual and menstrual cramps. Temporarily reduces fever.

### ***Warnings***

#### **Do not use**

with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are allergic to acetaminophen or any of the inactive ingredients in this product.

#### **Ask a doctor before use if you have**

you have liver disease.

#### **Ask a doctor or pharmacist before use if you are**

you are taking the blood thinning drug warfarin.

#### **When using this product**

#### **Stop use and ask a doctor if**

Pain gets worse or lasts more than 10 days.

Fever gets worse or lasts more than 3 days.

New symptoms occur.

Redness or swelling is present.

These could be signs of a serious condition.

Overdose Warning: Taking more than the recommended dose ( overdose) may cause liver damage. In the case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **If pregnant or breast-feeding**

#### **Keep out of reach of children**

Keep out of reach of children.

### ***Directions***

Do not take more than directed.

Adults and Children 12 years and over: Take 2 tablets every 4 to 6 hours while symptoms last.

Do not take more than 8 tablets in 24 hours.

Do not take for more than 10 days unless directed by a doctor.

Children under 12 years: Do not use adult Extra Strength product in children under 12 years of age: this will provide more than the recommended dose (overdose) of acetaminophen and may cause liver damage.

### ***Other information***

This product contains acetaminophen. Severe liver damage may occur if you take more than 8 tablets in 24 hours, which is the maximum daily amount, or with other drugs containing acetaminophen, or 3 or more alcoholic drinks every day while using this product.

Store at room temperature.

### ***Inactive ingredients***

Povidone, Pregelatinized Starch, Sodium Starch Glycolate, Stearic Acid